Brain Research, 594 (1992) 356–358
Elsevier Science Publishers B.V.

Author Index

Abe, K., see Yamashita, N. (594) 215
Adams, M.E., see McIntosh, J.M. (594) 109
Akin, T., see Bradley, R.M. (594) 84
Albin, R.L., see Tallaksen-Greene, S.J. (594) 165
Aradachi, H., see Honda, K. (594) 335
Armstrong, D.M., see Greeson, D.M. (594) 351
Armstrong, D.M., see Martone, M.E. (594) 253
Arons, C.D. and Shoemaker, W.J.
The distribution of catecholamines and β-endorphin in the brains of three behaviorally distinct breeds of dogs and their F_1 hybrids (594) 31

Badoer, E., see McKinley, M.J. (594) 295
Banay-Schwartz, M., Lajtha, A. and Palkovits, M.
Regional distribution of glutamate and aspartate in adult and old human brain (594) 343
Bear, M.F., see Bohner, A.P. (594) 146
Beitz, A.J., see Renno, W.M. (594) 221
Biggs, C.S., Pearce, B.R., Fowler, L.J. and Whitton, P.S.
The effect of sodium valproate on extracellular GABA and other amino acids in the rat ventral hippocampus: an in vivo microdialysis study (594) 138
Bohner, A.P., Dudek, S.M. and Bear, M.F.
Effects of *N*-methyl-D-aspartate on quisqualate-stimulated phosphoinositide hydrolysis in slices of kitten striate cortex (594) 146
Boss, V., Desai, M.A., Smith, T.S. and Conn, P.J.
Trans-ACPD-induced phosphoinositide hydrolysis and modulation of hippocampal pyramidal cell excitability do not undergo parallel developmental regulation (594) 181
Bradley, R.M., Smoke, R.H., Akin, T. and Najafi, K.
Functional regeneration of glossopharyngeal nerve through micromachined sieve electrode arrays (594) 84
Brosnan, C.F., see Claudio, L. (594) 233

Cattarelli, M., see Litaudon, P. (594) 171
Chodobski, A., Szmydynger-Chodobska, J., Segal, M.B. and McPherson, I.A.
The role of angiotensin II in regulation of cerebrospinal fluid formation in rabbits (594) 40
Chvátal, A., see Syková, E. (594) 19
Claudio, L. and Brosnan, C.F.
Effects of prazosin on the blood–brain barrier during experimental autoimmune encephalomyelitis (594) 233
Clow, K., see Rasmusson, D.D. (594) 150
Conn, P.J., see Boss, V. (594) 181
Crews, D., see Wade, J. (594) 311

Davies, J., see Harris, N.C. (594) 176
Dawkins, M.A., Foreman, R.D. and Farber, J.P.
Short latency excitation of upper cervical respiratory neurons by vagal stimulation in the rat (594) 319
Day, T.A., Sibbald, J.R. and Smith, D.W.
A1 neurons and excitatory amino acid receptors in rat caudal medulla mediate vagal excitation of supraoptic vasopressin cells (594) 244
Delacourte, A., see Vickers, J.C. (594) 273
Delahunty, T.M.
Mild traumatic brain injury enhances muscarinic receptor-linked inositol phosphate production in rat hippocampus (594) 307
Desai, M.A., see Boss, V. (594) 181
DiBennardo, R.A., see Somenarain, L. (594) 1
Dudek, S.M., see Bohner, A.P. (594) 146

Ellinwood Jr., E.H., see Zhang, H. (594) 315

Fallert, C.J., see Lo, T.-M. (594) 189
Farber, J.P., see Dawkins, M.A. (594) 319
Ferré, S. and Fuxe, K.
Dopamine denervation leads to an increase in the intramembrane interaction between adenosine A_2 and dopamine D_2 receptors in the neostriatum (594) 124
Filloux, F., see McIntosh, J.M. (594) 109
Fligny, I., see Willer, J.C. (594) 301
Foreman, R.D., see Dawkins, M.A. (594) 319
Fowler, L.J., see Biggs, C.S. (594) 138
Freund, T.F., see Miettinen, R. (594) 263
Fukuda, J., see Kawaguchi, H. (594) 284
Fukuda, J., see Yamashita, N. (594) 215
Fuller, R.W., see Henderson, M.G. (594) 323
Fuxe, K., see Ferré, S. (594) 124

Gean, P.-W., Huang, C.-C., Lin, J.-H. and Tsai, J.-J.
Sustained enhancement of NMDA receptor-mediated synaptic potential by isoproterenol in rat amygdalar slices (594) 331
Goodman, S.R., see Zimmer, W.E. (594) 75
Grassi, F.
Cl^--mediated interaction between GABA and glycine currents in cultured rat hippocampal neurons (594) 115
Greeson, D.M., Moix, L., Meier, M., Armstrong, D.M. and Wiley, R.G.
A continuing signal maintains NGF receptor expression in hypoglossal motor neurons after crush injury (594) 351
Grisel, J.E., see Watkins, L.R. (594) 99
Groves, P.M., see Martone, M.E. (594) 253

Harris, N.C. and Davies, J.
Cortically evoked excitatory synaptic transmission in the cat red nucleus is antagonised by D-AP5 but not by D-AP7 (594) 176
He, X.-P., Lee, P.H.K., Pennypacker, K.R., Tuominen, R.K., Mar, E.-C., Thai, L. and Hong, J.-S.
Characterization of dynorphin-containing neurons on dissociated dentate gyrus cell cultures (594) 91
Henderson, M.G. and Fuller, R.W.
Dextromethorphan antagonizes the acute depletion of brain serotonin by *p*-chloroamphetamine and H75/12 in rats (594) 323
Higashiura, K., see Uemura, S. (594) 347
Higuchi, T., see Honda, K. (594) 335
Honda, K., Aradachi, H., Higuchi, T., Takano, S. and Negoro, H.
Activation of paraventricular neurosecretory cells by local osmotic stimulation of the median preoptic nucleus (594) 335
Hong, J.-S., see He, X.-P. (594) 91
Huang, C.-C., see Gean, P.-W. (594) 331

Ienaga, K., see Uemura, S. (594) 347

Jakinovich Jr., W., see Somenarain, L. (594) 1
Jendelová, P., see Syková, E. (594) 19

Kagami-ishi, Y., see Shibata, S. (594) 290
Kasser, R.J., see Wilkerson, J.W. (594) 47
Kawaguchi, H. and Fukuda, J.
A new co-culture method utilizing a dual compartment cell-allocation apparatus for observation and identification of synapse formation in vitro (594) 284
Kenan-Vaknin, G., Ouaknine, G.E., Razon, N. and Malach, R.
Organization of layers II–III connections in human visual cortex revealed by in vitro injections of biocytin (594) 339
Kimura, H., see Uemura, S. (594) 347
Konishi, T.
cAMP-mediated expression of inwardly rectifying potassium channels in cultured mouse Schwann cells (594) 197
Koob, G.F., see Pulvirenti, L. (594) 327

Lajtha, A., see Banay-Schwartz, M. (594) 343
Lamas, G., see Willer, J.C. (594) 301
Lee, P.H.K., see He, X.-P. (594) 91
Lee, T.H., see Zhang, H. (594) 315
Leyton, M. and Stewart, J.
The stimulation of central κ opioid receptors decreases male sexual behavior and locomotor activity (594) 56

Li, Y.-Q., Takada, M., Ohishi, H., Shinonaga, Y. and Mizuno, N.
Trigeminal ganglion neurons which project by way of axon collaterals to both the caudal spinal trigeminal and the principal sensory trigeminal nuclei (594) 155
Lin, J.-H., see Gean, P.-W. (594) 331
Litaudon, P. and Cattarelli, M.
Origin of the in vivo rat piriform cortex activity recorded with voltage-sensitive dyes: comparison of the optical signals and the field potentials (594) 171
Lo, T.-M., Fallert, C.J., Piser, T.M. and Thayer, S.A.
HIV-1 envelope protein evokes intracellular calcium oscillations in rat hippocampal neurons (594) 189
Lu, S.Y., see Norman, A.B. (594) 279

Ma, Y., see Zimmer, W.E. (594) 75
Maier, S.F., see Watkins, L.R. (594) 99
Malach, R., see Kenan-Vaknin, G. (594) 339
Maldonado-Lopez, R., see Pulvirenti, L. (594) 327
Mar, E.-C., see He, X.-P. (594) 91
Marini, A.M., see Weller, M. (594) 160
Martone, M.E., Armstrong, D.M., Young, S.J. and Groves, P.M.
Ultrastructural examination of enkephalin and substance P input to cholinergic neurons within the rat neostriatum (594) 253
McIntosh, J.M., Adams, M.E., Olivera, B.M. and Filloux, F.
Autoradiographic localization of the binding of calcium channel antagonist, [^{125}I]ω-agatoxin IIIA, in rat brain (594) 109
McKinley, M.J., Badoer, E. and Oldfield, B.J.
Intravenous angiotensin II induces Fos-immunoreactivity in circumventricular organs of the lamina terminalis (594) 295
McPherson, I.A., see Chodobski, A. (594) 40
Meier, M., see Greeson, D.M. (594) 351
Miettinen, R. and Freund, T.F.
Convergence and segregation of septal and median raphe inputs onto different subsets of hippocampal inhibitory interneurons (594) 263
Mizuno, N., see Li, Y.-Q. (594) 155
Moix, L., see Greeson, D.M. (594) 351
Morrison, J.H., see Vickers, J.C. (594) 273
Mullett, M.A., see Renno, W.M. (594) 221

Najafi, K., see Bradley, R.M. (594) 84
Negoro, H., see Honda, K. (594) 335
Nishiyama, N., see Yamashita, N. (594) 215
Norgren, R.B., see Norman, A.B. (594) 279
Norman, A.B., Thomas, S.R., Pratt, R.G., Lu, S.Y. and Norgren, R.B.
Magnetic resonance imaging of neural transplants in rat brain using a superparamagnetic contrast agent (594) 279

Ohishi, H., see Li, Y.-Q. (594) 155
Oldfield, B.J., see McKinley, M.J. (594) 295
Olivera, B.M., see McIntosh, J.M. (594) 109
Ouaknine, G.E., see Kenan-Vaknin, G. (594) 339

Palkovits, M., see Banay-Schwartz, M. (594) 343
Paul, S.M., see Weller, M. (594) 160
Pearce, B.R., see Biggs, C.S. (594) 138
Pennypacker, K.R., see He, X.-P. (594) 91
Piser, T.M., see Lo, T.-M. (594) 189
Poignonec, S., see Willer, J.C. (594) 301
Pratt, R.G., see Norman, A.B. (594) 279
Pulvirenti, L., Maldonado-Lopez, R. and Koob, G.F.
NMDA receptors in the nucleus accumbens modulate intravenous cocaine but not heroin self-administration in the rat (594) 327

Rasmusson, D.D., Clow, K. and Szerb, J.C.
Frequency-dependent increase in cortical acetylcholine release evoked by stimulation of the nucleus basalis magnocellularis in the rat (594) 150
Razon, N., see Kenan-Vaknin, G. (594) 339
Rees, H., see Terenzi, M.G. (594) 205
Renner, K.J., see Wilkerson, J.W. (594) 47
Renno, W.M., Mullett, M.A. and Beitz, A.J.
Systemic morphine reduces GABA release in the lateral but not the medial portion of the midbrain periaqueductal gray of the rat (594) 221
Richard, D., Rivest, S. and Rivier, C.
The 5-hydroxytryptamine agonist fenfluramine increases Fos-like immunoreactivity in the brain (594) 131
Rivest, S., see Richard, D. (594) 131
Rivier, C., see Richard, D. (594) 131
Roberts, M.H.T., see Terenzi, M.G. (594) 205
Robertson, R.T., see Tengelsen, L.A. (594) 10

Saito, H., see Yamashita, N. (594) 215
Segal, M.B., see Chodobski, A. (594) 40
Shibata, S., Tominaga, K., Kagami-ishi, Y. and Watanabe, S.
Neuroprotective effect of protein kinase C inhibitors on oxygen/glucose free-induced decreases in 2-deoxyglucose uptake and CA1 field potential in rat hippocampal slices (594) 290
Shinonaga, Y., see Li, Y.-Q. (594) 155
Shoemaker, W.J., see Arons, C.D. (594) 31
Sibbald, J.R., see Day, T.A. (594) 244
Silbert, L.H., see Watkins, L.R. (594) 99
Šimonová, Z., see Syková, E. (594) 19
Smith, D.W., see Day, T.A. (594) 244
Smith, T.S., see Boss, V. (594) 181
Smoke, R.H., see Bradley, R.M. (594) 84
Somenarain, L., DiBennardo, R.A. and Jakinovich Jr., W.
Single neuron gustatory responses of the gerbil chorda tympani to a variety of stimuli (recorded by a new method) (594) 1
Soudant, J., see Willer, J.C. (594) 301
Stewart, J., see Leyton, M. (594) 56
Sullivan, R.M., see Wilson, D.A. (594) 143
Syková, E., Jendelová, P., Šimonová, Z. and Chvátal, A.
K^+ and pH homeostasis in the developing rat spinal cord is impaired by early postnatal X-irradiation (594) 19
Szerb, J.C., see Rasmusson, D.D. (594) 150
Szmydynger-Chodobska, J., see Chodobski, A. (594) 40

Takada, M., see Li, Y.-Q. (594) 155
Takano, S., see Honda, K. (594) 335
Tallaksen-Greene, S.J., Wiley, R.G. and Albin, R.L.
Localization of striatal excitatory amino acid binding site subtypes to striatonigral projection neurons (594) 165
Tengelsen, L.A., Robertson, R.T. and Yu, J.
Basal forebrain and anterior thalamic contributions to acetylcholinesterase activity in granular retrosplenial cortex of rats (594) 10
Terenzi, M.G., Rees, H. and Roberts, M.H.T.
The pontine parabrachial region mediates some of the descending inhibitory effects of stimulating the anterior pretectal nucleus (594) 205
Thai, L., see He, X.-P. (594) 91
Thayer, S.A., see Lo, T.-M. (594) 189
Thomas, S.R., see Norman, A.B. (594) 279
Tominaga, K., see Shibata, S. (594) 290
Tsai, J.-J., see Gean, P.-W. (594) 331
Tuominen, R.K., see He, X.-P. (594) 91

Uemura, S., Ienaga, K., Higashiura, K. and Kimura, H.
γ-Glutamyltaurine has potent and long-lasting antiepileptic action as demonstrated by intra-amygdaloid injection in amygdala-kindled rats (594) 347

Vickers, J.C., Delacourte, A. and Morrison, J.H.
Progressive transformation of the cytoskeleton associated with normal aging and Alzheimer's disease (594) 273

Wade, J. and Crews, D.
Sexual dimorphisms in the soma size of neurons in the brain of whiptail lizards (*Cnemidophorus* species) (594) 311
Watanabe, S., see Shibata, S. (594) 290
Watkins, L.R., Wiertelak, E.P., Grisel, J.E., Silbert, L.H. and Maier, S.F.
Parallel activation of multiple spinal opiate systems appears to mediate 'non-opiate' stress-induced analgesias (594) 99
Weller, M., Marini, A.M. and Paul, S.M.
Niacinamide blocks 3-acetylpyridine toxicity of cerebellar granule cells in vitro (594) 160
Whitton, P.S., see Biggs, C.S. (594) 138
Wiertelak, E.P., see Watkins, L.R. (594) 99
Wiley, R.G., see Greeson, D.M. (594) 351
Wiley, R.G., see Tallaksen-Greene, S.J. (594) 165
Wilkerson, J.W., Kasser, R.J. and Renner, K.J.

Cholecystokinin antagonists inhibit in vivo voltammetric signals generated by KCl-induced slow wave depolarization in rat caudate (594) 47
Willer, J.C., Lamas, G., Poignonec, S., Fligny, I. and Soudant, J.
Redirection of the hypoglossal nerve to facial muscles alters central connectivity in human brainstem (594) 301
Wilson, D.A. and Sullivan, R.M.
Blockade of mitral/tufted cell habituation to odors by association with reward: a preliminary note (594) 143
Yamashita, N., Nishiyama, N., Abe, K., Saito, H. and Fukuda, J.
Primary culture of postnatal rat hypothalamic neurons in astrocyte-conditioned medium (594) 215
Young, S.J., see Martone, M.E. (594) 253
Yu, J., see Tengelsen, L.A. (594) 10

Zagon, I.S., see Zimmer, W.E. (594) 75
Zhang, H., Lee, T.H. and Ellinwood Jr., E.H.
The progressive changes of neuronal activities of the nigral dopaminergic neurons upon withdrawal from continuous infusion of cocaine (594) 315
Zimmer, W.E., Ma, Y., Zagon, I.S. and Goodman, S.R.
Developmental expression of brain β-spectrin isoform messenger RNAs (594) 75